

O'DONNELL & EWING #1 FEDERAL 332
NW NW 26-18N-2W YAVAPAI CNTY

P-M

WELL COMPLETION OR RECOMPLETION REPORT AND WELL LOG									
DESIGNATE TYPE OF COMPLETION:									
New Well <input checked="" type="checkbox"/>	Work-Over <input type="checkbox"/>	Deepen <input type="checkbox"/>	Plug Back <input type="checkbox"/>	Same Reservoir <input type="checkbox"/>	Different Reservoir <input type="checkbox"/>	Oil <input type="checkbox"/>	Gas <input type="checkbox"/>	Dry <input checked="" type="checkbox"/>	
DESCRIPTION OF WELL AND LEASE									
Operator O'DONNELL - EWING INC				Address 3800 N. CENTRAL					
Federal, State or Indian Lease Number or name of lessor if fee lease FEDERAL				Well Number 41		Field & Reservoir			
Location NW NW				County YAVAPAI					
Sec. TWP-Range or Block & Survey SEC 26 T18N R2W									
Date spudded 11-11-65		Date total depth reached 12/11/65		Date completed, ready to produce		Elevation (DF, RKB, RT or Gr.) 4579.6 GR feet		Elevation of casing hd. flange feet	
Total depth 1205'		P.B.T.D.		Single, dual or triple completion?		If this is a dual or triple completion, furnish separate report for each completion.			
Producing interval (s) for this completion NONE				Rotary tools used (Interval) SURFACE TO T.D.		Cable tools used (Interval)			
Was this well directionally drilled? NO		Was directional survey made? NO		Was copy of directional survey filed? NO		Date filed			
Type of electrical or other logs run (check logs filed with the commission) GAMMA RAY - NEUTRON (SCHUMBERGER)						Date filed 12-12-65			
CASING RECORD									
Casing (report all strings set in well—conductor, surface, intermediate, producing, etc.)									
Purpose SURFACE	Size hole drilled 15"	Size casing set 10 3/4	Weight (lb./ft.) 17	Depth set 141'	Sacks cement 100	Amt. pulled NONE			
TUBING RECORD									
Size in.	Depth set ft.	Packer set at ft.	Size in.	Top ft.	Bottom ft.	Sacks cement	Screen (ft.)		
PERFORATION RECORD									
Number per ft.	Size & type	Depth Interval		ACID, SHOT, FRACTURE, CEMENT SQUEEZE RECORD			Am't. & kind of material used		
				T. D. Granite			Depth Interval		
INITIAL PRODUCTION									
Date of first production		Producing method (indicate if flowing, gas lift or pumping—if pumping, show size & type of pump:)							
Date of test	Hrs. tested	Choke size	Oil prod. during test bbls.	Gas prod. during test MCF	Water prod. during test bbls.	Oil gravity ° API (Corr)			
Tubing pressure	Casing pressure	Cal'd rate of Production per 24 hrs.	Oil bbls.	Gas MCF	Water bbls.	Gas-oil ratio			
Disposition of gas (state whether vented, used for fuel or sold):									
<p>CERTIFICATE: I, the undersigned, under the penalty of perjury, state that I am the <u>Sec. Treasurer</u> of the _____ (company), and that I am authorized by said company to make this report; and that this report was prepared under my supervision and direction and that the facts stated therein are true, correct and complete to the best of my knowledge.</p> <p><u>Dec 20 1965</u> Date <u>Mike O'Donnell</u> Signature</p>									
Permit No. 332				STATE OF ARIZONA OIL & GAS CONSERVATION COMMISSION Well Completion or Recompletion Report and Well Log Form No. 4 File One Copy					

From the Desk of

JOHN BANNISTER

O'Donnell Ewing #1 Fed
#332

2 1/2 Miles W of Paulben
E side of Road - across
from Wishing Well Bar
11-9 Rigging up

Spudded 11-11-65

From the Desk of

JOHN BANNISTER

11-19-65

Surface set 142'

700 SY

53 1/4'

Present depth 548'
Top Devonian (Sample) 548'

11-22-65

May set esq.

From the Desk of

JOHN BANNISTER

TD 548' no returns
hole not holding
up

11-22-65

Top of Dev.
good porosity

332

Set 7 7/8" To Approx 550' Top Dev. approx 270'

drill w/air @ 855 Tam.

TD @ (1007) noon - drilling O.K.
no returns

section faulted?
drilling in Bright Angel Shale??

TO: Oil and Gas Conservation Commission
State of Arizona
1624 West Adams, Room 202
Phoenix, Arizona 85007

This is to advise you that I accept the abandoned wildcat well, known as the O'Donnell-Ewing Federal #1, located on the NW 1/4 NW 1/4 of Section 26 Township 18 N Range 2 W, County of Yavapai, Arizona, as a water well to be used for domestic purposes.

Further, I accept full responsibility for the proper maintenance and use of the above well, including final plugging, in full compliance with the Rules and Regulations adopted by the Oil and Gas Conservation Commission.

I understand that I am responsible for compliance with the provisions of the State Water Code, Chapter 1, Title 45, Arizona Revised Statutes and with any applicable requirements of U.S. Geological Survey.

Signature Antonia O. Arizona Republic, Inc.
C. L. Schollenberger
Street Min. Glass Ranch
City and State Paulden, Ariz.

STATE OF ARIZONA

COUNTY OF Yavapai

On this, the 16 day of Dec, 1964, before me, Ellen Ginn, the undersigned officer, personally appeared C. L. Schollenberger, known to me (or satisfactorily proven) to be the person whose name is subscribed to the within instrument and acknowledged that he executed the same for the purpose therein contained.

In witness whereof I hereunto set my hand and official seal.

Notary Public Ellen Ginn

My Commission expires 2/2/67

Permit No. 2 332

State of Arizona
Oil & Gas Conservation Commission
WATER WELL ACCEPTANCE
Form 26 - File one copy

APPLICATION FOR PERMIT TO DRILL, DEEPEN, PLUG BACK, OR RE-ENTER			
<div style="display: flex; justify-content: space-between;"> APPLICATION TO DRILL <input checked="" type="checkbox"/> DEEPEN <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RE-ENTER OLD WELL <input type="checkbox"/> DATE 11/5/65 </div>			
NAME OF COMPANY OR OPERATOR O'Donnell and Ewing, Inc.			
Address 3800 North Central Ave. Suite 1121 Phoenix,		State Arizona	
DESCRIPTION OF WELL AND LEASE			
Federal, State or Indian Lease Number or name of lessor, if fee lease Federal #1 AR-034164		Well number #1 Elevation (ground) 4579.60	
Well location and acreage dedicated to the well (give footage from section lines) Section—township—range or block & survey 660' FNL & FWL NE NW, NW NW 26 18N 2W			
Field & reservoir (If wildcat, so state) Wildcat		County Yavapai	
Distance, in miles, and direction from nearest town or post office 25 miles North of Prescott, Arizona			
Nearest distance from proposed location to property or lease line: 660 feet		Distance from proposed location to nearest drilling, completed or applied—for well on the same lease: none feet	
Proposed depth: Basement		Rotary or cable tools Rotary	
Number of acres in lease: 1,976.05		Approx. date work will start Nov. 10, 1965	
If lease, purchased with one or more wells drilled, from whom purchased: --		Number of wells on lease, including this well, completed in or drilling to this reservoir: none	
Status and amount of bond \$5,000.00		Organization Report On file <input type="checkbox"/> Or attached <input checked="" type="checkbox"/> yes	
Filing Fee of \$25.00 Attached <input checked="" type="checkbox"/> yes			
Remarks: (If this is an application to deepen or plug back, briefly describe work to be done, giving present producing zone and expected new producing zone) 			
*Fill in Proposed Casing Program on reverse side			
<p>CERTIFICATE: I, the undersigned, under the penalty of perjury, state that I am the.....Secretary-Treasurer.....of the O'Donnell and Ewing, Inc......(company), and that I am authorized by said company to make this report; and that this report was prepared under my supervision and direction and that the facts stated therein are true, correct and complete to the best of my knowledge.</p> <div style="text-align: right; margin-top: 10px;"> Signature Mike O'Donnell </div> <div style="text-align: right; margin-top: 10px;"> November 5, 1965 Date </div>			
Permit Number: 332 Approval Date: 11-5-65 Approved By: John Lannister		STATE OF ARIZONA OIL & GAS CONSERVATION COMMISSION Application to Drill, Deepen or Plug Back and Plat File Two Copies Form No. 3	
Notice: Before sending in this form be sure that you have given all information requested. Much unnecessary correspondence will thus be avoided. See instruction on Reverse Side of Form			

1. Operator shall outline the dedicated acreage for both oil and gas wells on the plat.
2. A registered professional engineer or land surveyor registered in the State of Arizona or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
3. All distances shown on the plat must be from the outer boundaries of the Section.
4. Is the Operator the only owner in the dedicated acreage outlined on the plat below? YES _____ NO X _____
5. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? YES X NO _____ If answer is "yes," Type of Consolidation Operating Agreement
6. If the answer to question two is "no," list all the owners and their respective interests below:

Owner	Land Description

CERTIFICATION

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

Mike O'Donnell

Name

Secretary-Treasurer

Position

O'Donnell and Ewing, Inc.

Company

November 5, 1965

Date

I hereby certify that the well location shown on the plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed
5

Registered Professional Engineer
and/or Land Surveyor

Certificate No.

PROPOSED CASING PROGRAM

Size of Casing	Weight	Grade & Type	Top	Bottom	Cementing Depths	Sacks Cement
10-3/4	17#	E	Surface	400'	400'	125



PERMIT TO DRILL

This constitutes the permission and authority from the

OIL AND GAS CONSERVATION COMMISSION,
STATE OF ARIZONA,

To: O'DONNELL & EWING, #1 FEDERAL INC
(OPERATOR)

to drill a well to be known as

O'DONNELL & EWING #1 FEDERAL
(WELL NAME)

located 660' FNL & FWL (NW/4NW/4)

Section 26 Township 18N Range 2W, Yavapai County, Arizona.

The N/2NW/4 of said
Section, Township and Range is dedicated to this well.

Said well is to be drilled substantially as outlined in the attached Application and must be drilled
in full compliance with all applicable laws, statutes, rules and regulations of the State of Arizona.

Issued this 5th day of November, 1965.

OIL AND GAS CONSERVATION COMMISSION

By


John Bannister
EXECUTIVE SECRETARY


PERMIT N^o 332

RECEIPT NO. 9430

State of Arizona
Oil & Gas Conservation Commission
Permit to Drill

FORM NO. 27





T18N R2W

1320

$\frac{1}{4}$ Brass Cop

26

Lot 1
40 Acres

Lot 6
40 Acres

Brass

Old U.S. 89 Rd.

Lot 4
227 1/2 Acres

Lot 5
40 Acres

Lot 6
40 Acres

1/4 Brass Cap

27
34 Brass Cap

667.2

Brass Cap 26
35

1/4 Brass Cap

REV. NO.	DATE	BY:

U.S. 89 Rd.

Lot 4
227 1/2 Acres

Lot 5
40 Acres

Lot 6
40 Acres

1/4 Brass Cap

Brass Cap 1/4

THIS IS TO CERTIFY THAT THE SURV
PREMISES SHOWN ON THIS PLAT
NOVEMBER 4 & 5 1965.

REGIS

27
34 Brass Cap

Brass Cap 26
35

Brass Cap 1/4

26 25
35 36

OIL WELL

DATE: NOV. 4 1965

SCALE: 1" = 300'

DRAWN: G.C.B.

CHECKED:

APPROVED BY:

George C. Blount
65

O'DONNELL-EV

IN THE NW 1/4 NW 1/4 OF S
R2W OF G.&S.R.B.&M.
YAVAPAI COUNTY AR

JAMES H. HOWARD
CONSULTING ENGINEERS
LAND SURVEYORS

REV. NO.	DATE	BY:	REVISION

Lot 6
40 Acres

Brass Cap 1/4

THIS IS TO CERTIFY THAT THE SURVEY AND MAPPING OF THE
PREMISES SHOWN ON THIS PLAT WERE DONE BY ME ON
NOVEMBER 4 & 5 1965.

George C. Blount
REGISTERED CIVIL ENG'R.

approved
11-8-65
JB
332

Brass Cap

26 25
35 36

OIL WELL LOCATION MAP


DATE: NOV. 4 1965

SCALE: 1" = 300'

DRAWN: G.C.B.

CHECKED:

APPROVED BY:



O'DONNELL-EWING NO. FEDERAL

IN THE NW 1/4 NW 1/4 OF SECTION 26 T18N
R2W OF G.&S.R.B.&M.

YAVAPAI COUNTY ARIZONA

JAMES H. HOWARD & ASSOCIATES
CONSULTING ENGINEERS
LAND SURVEYORS


CLARKDALE, ARIZONA

JOB NO.
4435

SHEET NO.

REV. NO. DATE BY:

REVISION





Fife Symington
Governor

State of Arizona
Arizona Geological Survey

845 North Park Avenue, #100
Tucson, Arizona 85719
(602) 882-4795



Larry D. Fellows
Director and State Geologist

January 4, 1995

file 332

Mr. Andrew Prestridge
16820 West 16th Place
Golden, Colorado 80401

Dear Andrew:

The gamma ray-neutron log from the O'Donnell & Ewing well in the Chino Valley that we talked about today is enclosed. I have also enclosed a list of oil and gas publications. The well files for all of the wells listed in the well location map and report (OG-12) are available for review and photocopying.

The county well location maps annotated on the list of oil and gas publications includes selected water wells that we have information on in this office. All of the well location maps in the listing have been updated with respect to oil and gas wells to January 1995.

Sincerely,

Steven L. Rauzi

Steven L. Rauzi
Oil & Gas Program Administrator

Enclosures

OIL & GAS CONSERVATION COMMISSION
STATE OF ARIZONA
1624 WEST ADAMS - SUITE 202
TELEPHONE: 271-5181
PHOENIX, ARIZONA, 85007

KNOW ALL MEN BY THESE PRESENTS

BOND SERIAL NO. 79 55 456

That O'DONNELL & EWING, INC.
we:

of the County of: MARICOPA in the State of: ARIZONA

as principal,
and FIDELITY AND DEPOSIT COMPANY OF MARYLAND, a corporation,

of the State of Maryland, Baltimore, Maryland.

AUTHORIZED TO DO BUSINESS WITHIN the State of Arizona.

as surety, are held and firmly bound unto the State of Arizona in the penal sum as indicated, lawful money of the United States, for which payment, well and truly to be made, we bind ourselves, and each of us, and each of our heirs, executors, administrators or successors, and assigns jointly and severally, firmly by these presents.

The conditions of this obligation is that whereas the above bounden principal proposes to drill a well or wells for oil, gas or stratigraphic purposes in and upon the following described land situated within the State, to wit:

NORTHWEST NORTHWEST OF SECTION 26 18 NORTH 2 WEST, YAVAPAI COUNTY, ARIZONA
(May be used as blanket bond or for single well)

NOW, THEREFORE, if the above bounden principal shall comply with all of the provisions of the laws of this State and the rules, regulations and orders of the Oil and Gas Conservation Commission, especially with reference to the requirements of A.R.S. 27-516, providing for the proper drilling, casing and plugging of said well or wells, and filing with the Oil & Gas Conservation Commission all notices and records required by said Commission, in the event said well or wells do not produce oil or gas in commercial quantities, or cease to produce oil or gas in commercial quantities, then this obligation is void; otherwise, the same shall be and remain in full force and effect.

Penal sum of FIVE THOUSAND AND NO/100 DOLLARS (\$5,000.00)

Witness our hands and seals, this Fifth day of November, 1965

O'DONNELL & EWING, INC.

Principal

Witness our hands and seals, this

Fifth

day of

November, 1965

FIDELITY AND DEPOSIT COMPANY OF MARYLAND

Surety

Richard L. Thiel, Attorney-in-Fact

(If the principal is a corporation, the bond should be executed by its duly authorized officers, with the seal of the corporation affixed. When principal or surety executes this bond by agent, power of attorney or other evidence of authority must accompany the bond.)

Approved

Date

11-8-65

John W. Annister
STATE OF ARIZONA
OIL AND GAS CONSERVATION COMMISSION

#332

Power of Attorney
FIDELITY AND DEPOSIT COMPANY OF MARYLAND

HOME OFFICE: BALTIMORE, MD.

KNOW ALL MEN BY THESE PRESENTS: That the FIDELITY AND DEPOSIT COMPANY OF MARYLAND, a corporation of the State of Maryland, by **WM. H. C. GRIFFITH**, Vice-President, and **M. A. KELLY**, Assistant Secretary, in pursuance of authority granted by Article VI, Section 2, of the By-Laws of said Company, which reads as follows:

"The President, or any one of the Executive Vice-Presidents, or any one of the additional Vice-Presidents specially authorized so to do by the Board of Directors or by the Executive Committee, shall have power, by and with the concurrence of the Secretary or any one of the Assistant Secretaries, to appoint Resident Vice-Presidents, Resident Assistant Secretaries and Attorneys-in-Fact as the business of the Company may require, or to authorize any person or persons to execute on behalf of the Company any bonds, undertakings, recognizances, stipulations, policies, contracts, agreements, deeds, and releases and assignments of judgments, decrees, mortgages and instruments in the nature of mortgages, and also all other instruments and documents which the business of the Company may require, and to affix the seal of the Company thereto."

does hereby nominate, constitute and appoint **Richard L. Thiel**, of **Phoenix, Arizona**.....

its true and lawful agent and Attorney -in-Fact, to make, execute, seal and deliver, for, and on its behalf as surety, and as its act and deed: any and all bonds and undertakings.....

And the execution of such bonds or undertakings in pursuance of these presents, shall be as binding upon said Company, as fully and amply, to all intents and purposes, as if they had been duly executed and acknowledged by the regularly elected officers of the Company at its office in Baltimore, Maryland, in their own proper persons.

The said Assistant Secretary does hereby certify that the foregoing is a true copy of Article VI, Section 2, of the By-Laws of said Company, and is now in force.

IN WITNESS WHEREOF, the said Vice-President and Assistant Secretary have hereunto subscribed their names and affixed the Corporate Seal of the said FIDELITY AND DEPOSIT COMPANY OF MARYLAND, this 23rd day of September, A.D. 1957.....

ATTEST:

FIDELITY AND DEPOSIT COMPANY OF MARYLAND

(SIGNED)

M. A. KELLY

By

WM. H. C. GRIFFITH

(SEAL)

Assistant Secretary

Vice-President

STATE OF MARYLAND
CITY OF BALTIMORE

} ss:

On this 23rd day of September, A.D. 1957, before the subscriber, a Notary Public of the State of Maryland, in and for the City of Baltimore, duly commissioned and qualified, came the above-named Vice-President and Assistant Secretary of the FIDELITY AND DEPOSIT COMPANY OF MARYLAND, to me personally known to be the individuals and officers described in and who executed the preceding instrument, and they each acknowledged the execution of the same, and being by me duly sworn, severally and each for himself depose and saith, that they are the said officers of the Company aforesaid, and that the seal affixed to the preceding instrument is the Corporate Seal of said Company, and that the said Corporate Seal and their signatures as such officers were duly affixed and subscribed to the said instrument by the authority and direction of the said Corporation.

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed my Official Seal, at the City of Baltimore, the day and year first above written.

(SIGNED)

BEVERLY M. FERTIG

(SEAL)

Notary Public Commission Expires May 4, 1959

CERTIFICATE

I, James J. MOORE, Assistant Secretary of the FIDELITY AND DEPOSIT COMPANY OF MARYLAND, do hereby certify that the attached Power of Attorney dated September 23, 1957, in behalf of Richard L. Thiel of Phoenix, Arizona, is a true and correct copy and that same has been in full force and effect since the date thereof and is in full force and effect on the date of this certificate; and I do further certify that the said WM. H. C. GRIFFITH and M. A. KELLY, who executed the attached Power of Attorney as Vice-President and Assistant Secretary respectively, were on the date of the execution of the attached Power of Attorney the duly elected Vice-President and Assistant Secretary of the FIDELITY AND DEPOSIT COMPANY OF MARYLAND, and that the said WM. H. C. GRIFFITH was one of the additional Vice-Presidents specially authorized by the Board of Directors to appoint any Attorney-in-Fact or to authorize any person or persons to execute on behalf of the Company any bonds, recognizances, stipulations, undertakings, deeds, releases of mortgages, contracts, agreements and policies, and to affix the seal of the Company thereto as provided in said Article VI, Section 2 of the By-Laws of the FIDELITY AND DEPOSIT COMPANY OF MARYLAND.

IN TESTIMONY WHEREOF, I have hereunto subscribed my name and affixed the corporate seal of the said Company, this Fifth day of November, 1965

September 19, 1967

O'Donnell & Ewing Drilling Co. Inc.
4800 N. Central Avenue
Phoenix, Arizona 85012

Re: O'Donnell & Ewing #1 Federal
NW NW 26-18N-2W, Yavapai County, Arizona
Permit 332

Fidelity and Deposit Company of Maryland Bond 79 55 456

Gentlemen:

Captioned well has been completed and all required data has been submitted in accordance with this Commission's rules and regulations.

This letter, then is authority from this Commission to terminate captioned bond.

Very truly yours,

John Bannister
Executive Secretary
MB

cc: Fidelity and Deposit Company
528 Security Bldg.
Phoenix, Arizona 85004

Fidelity and Deposit Company

HOME OFFICE OF MARYLAND BALTIMORE

BONDING



INSURANCE

RICHARD L. THIEL
MANAGER
A. GRANT KASSON, JR.
ASSISTANT MANAGER
KEITH M. HUGGINS
SPECIAL AGENT

528 SECURITY BUILDING
PHOENIX, ARIZONA 85004

TELEPHONE 254-9251

September 15, 1967

PLEASE QUOTE OUR FILE
NUMBER IN YOUR REPLY

State of Arizona
Oil and Gas Conservation Commission
1624 West Adams
Phoenix, Arizona

Re: Our Bond No. 79 55 456 - O'Donnell & Ewing, Inc.
(Northwest Northwest of Section 26 18 North 2 West,
Yavapai County, Arizona)

Gentlemen:


We wish to serve Notice of Cancellation on this \$5,000 Oil and Gas
Drilling Bond. Please advise us when our liability under this bond
will be considered terminated.

FIDELITY AND DEPOSIT COMPANY
OF MARYLAND

BY

A. Grant Kasson, Jr.
A. Grant Kasson, Jr.
Attorney-in-Fact

AGK:kn



December 13, 1965

Mr. Tommy Goodnight
Valley National Bank
Willetta and 1st Street Office
1400 N. 1st Street
Phoenix, Arizona

Re: O'Donnell & Ewing #1 Federal well
NW/4NW/4 26-18N-2W, Yavapai County
Permit 332

Dear Mr. Goodnight:

Pursuant to a certain drilling agreement dated November 3, 1965 between O'Donnell & Ewing Inc. and Mr. John Zimnox, this office has been asked to certify that the captioned well is currently bottomed in granite at a total depth of approximately 1,205 feet.

This well has been under the constant surveillance of this Commission throughout its drilling and the Commission is well aware of the geological formations penetrated in its drilling.

The Commission has been furnished bottom hole samples, as well as the Gamma Ray Neutron logs run by Slumberger Well Surveying Corp. on December 11, 1965.

This well is bottomed in weathered granite, as proven by bottom hole samples and as verified by geologist Dr. Wes Peirce of Tucson, Arizona and by Mr. Dave Thomas of Farmington, New Mexico.


Due to the fact that it is weathered granite and the fact that the well was cased and consequently electrical logs could not be run, the bottom of the well as shown on the Gamma Ray Neutron log has somewhat the appearance of a sand section.

It is the official opinion of this Commission that the captioned well is bottomed in granite.

Should you have any questions, or desire to discuss this matter, will you please contact this office.

Very truly yours,

John Bannister
Executive Secretary
mr



AMERICAN STRATIGRAPHIC COMPANY

6280 E. 39TH AVE. • DENVER, COLORADO 80207 • PHONE 399-2748

November 26, 1965

O'Donnell & Ewing, Inc.
3800 N. Central
Phoenix, Arizona

Re: #1 Federal

Gentlemen:

Our company is interested in obtaining samples from all important tests drilled in this area. Your location in Section 26 T.18N ., R. 2W ., Yavapai County, Arizona is in a significant area, and we would appreciate receiving samples from this test.

Amstrat washes, cuts and distributes these samples to the various interested oil companies. In addition, we maintain a library of the cuttings. These samples are available for examination by an individual or company representative. The library is maintained on a rental basis, except to the operator, who has free access to the samples. We would appreciate your shipping the samples to us. In return, we would be happy to furnish you a complimentary copy of the stratigraphic study, if a study is prepared.

Please enclose information showing well number, location, and total depth. In order to make a complete record, samples from surface pipe to total depth and one-foot chips from cored intervals are desirable.

Thank you for your cooperation.

Very truly yours,

AMERICAN STRATIGRAPHIC COMPANY

C. K. Fisher, Manager

jc

332